

At the heart of your home

Gas Fires 2020



MADE IN BRITAIN





Welcome to Flavel



Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and service. Every Flavel branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



Every model* carries the peace of mind of a 7 year guarantee and the reassurance of the Flavel Airwatch System on all living flame effect fires. This device immediately cuts off the gas supply in the unlikely event of the flame being extinguished through blockage.

Our 7 year guarantee is subject to terms & conditions including annual services carried out by a Gas Safe Register engineer and annual replacement of the oxy-pilot assembly (or thermocouple on balanced flue models).



At Flavel we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of affordable gas fires to complement all tastes and lifestyles. I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Flavel gas fires carry a 7 year guarantee to reflect my belief in their quality and durability.

This brochure has been designed to make the purchase of your new Flavel gas fire as simple as possible. I hope you will find it both informative and inspiring.





Compliant Ecodesign Compliance

This logo signifies that the product is fully compliant with the Eco design directive Commission Regulation (EU) 2015/1188.

DSI. Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the latest standards for performance, safety and efficiency.

The BSI is an independent organisation. They are not owned by the government, industry or shareholders, which means that they can be totally objective with regards testing and certification. This gives their assessments more authority than those of an organization that has a vested interest in promoting its members.

They have some of the most experienced and knowledgeable staff in the world and are recognised internationally for their technical expertise, quality services and in-depth knowledge of gas and electrical testing and certification.

The wide-ranging capability of their testing facilities and the broad expertise and knowledge of their testing and certification staff ensures our products are rigorously tested with the utmost integrity.

Contents

ide to efficiencies and fire types4 -	5
fore you Begin - guide to icons	. 6

highefficiency

Conventional Flue

Wall Outset - Glass Fronted Castelle Slimline Curve... Kamina.. Wall Inset - Glass Fronted Rocco HE... Jazz HE.... Expression HE... Diamond HE.. Windsor Contemporary HE.. Wall Inset - Open Fronted Windsor Contemporary Plus.

Fireplace Suites - Glass Fronted

. 16-17

Sophia Suite....



Hearth Inset - Glass Fronted

Caress HE
Decadence HE & Decadence Slimline HE19
Kenilworth HE20
Linear HE21
Windsor Contemporary HE22
Windsor Traditional HE23
Hearth Inset - Open Fronted
Richmond Plus & Richmond24
Caress Plus & Caress25
Calypso Plus & Calypso26
Rhapsody Plus & Rhapsody27
Decadence Plus28
Linear Plus29
Kenilworth Plus30
Expression Plus31
Windsor Contemporary Plus32
Windsor Traditional Plus33
Stirling Plus34-35

Windsor Traditional Plus	33
Stirling Plus	34-35
Hearth Outset - Glass Fronted	
Emberglow	36
Renoir	37
Hearth Outset - Open Fronted	
Regent	38
Welcome	39
Strata	40
Misermatic	41
Renaissance	42
Firenza	43

Balanced Flue

Wall Inset – Glass Fronted	
Rocco BF	10
Jazz BF	1′
Hearth Inset - Glass Fronted	
Calibre BF	44
Raglan BF	45
Orchestra BF	46
Atlanta BF	47
Fireplace Suites - Glass Fronted Sophia Slimline BF	16-17
Hearth Outset - Glass Fronted Emberglow BF	36



standardfires

Conventional Flue

Wall Ir	nset - Open Fronted	
Finess	e	48
Winds	or Contemporary	49
Heart	h Inset – Open Fronted	
Waver	rley	50
Linear		5′
Winds	or Contemporary,	
Classic	c & Traditional	52-53
Melod	y	54
Cares	s Slimline	55

Hearth Outset - Open Fronted	
Regent LFE	56
reestanding Stove	
hurcroft Stove	57



3

Builders' Opening Sizes

highefficiency

Get up to 93.5% energy efficiency from your gas fire...

Flavel has always had a reputation as a manufacturer of excellent quality, British made gas fires and our R&D team has continued to invest in developing new technology to meet the key objective of producing gas fires that save energy and as a result, help to keep costs down.

The Flavel high efficiency range combines exceptional heat output with lower running costs compared to standard gas fires.

Conventional Flue

Glass Fronted



Our range of high efficiency conventional flue glass fronted fires have an energy efficiency of up to 86.3%. They have a glass panel across the front of the fire which radiates the heat generated from the fuel bed directly into the room. The glass panel concentrates the radiant heat so that more heat is forced into the room and less is lost through the chimney. Combined with convected heat which is produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air though the gap above the canopy, making these the most efficient conventional flue fires available.

Open Fronted



Our high efficiency conventional flue open fronted fires can reach an energy efficiency of up to 68.3%. These fires provide the look and feel of a real open fire providing both radiant. and convected heat. Radiant heat is emitted from the coal effect fuel bed and the convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger and is then emitted as warm air though the gap above the canopy.

Balanced Flue

Glass Fronted



Our range of high efficiency balanced flue fires have an energy efficiency of up to 93.5%. Designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home, a balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. They are glass fronted, completely room sealed appliances and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes.



Wall Inset

To complement a contemporary home choose a wall inset fire, otherwise known as a hole in the wall fire, which is recessed into the wall and available for all chimney and flue types.

FLAVEL

At the heart of your home



Fires for every home

What type of Flavel fire will suit your home best?

With one of the largest choice of styles and features in the UK, from contemporary to traditional, slimline to full depth, as well as inset and outset models for hearths and walls, there is a Flavel fire to make anywhere feel like home.

Start by browsing the different options on this page and use the guide on page 6 to help you identify which type of chimney or flue you have. On each product page you will find a key to all the options associated with each fire including controls, fire backs and fuel beds.

Hearth Inset

A hearth inset fire saves space as it is recessed into the chimney breast or flue and is available in a choice of slimline or full depth fuel beds with balanced flue options for homes without a chimney or flue.



Fireplace Suite

A Suite really makes a statement in a room and comes complete with the surround and gas fire suitable for conventional as well as balanced flues.

standardfires





Standard fires can achieve a direct heat output of up to 3.1kW. However these products are not suitable for use as a primary heat source.



Wall Outset

This type of fire has a direct connection to the flue and is fitted on to the wall with minimal building work required. A virtually hassle-free installation, and a perfect complement to homes requiring performance and aesthetics.



Hearth Outset

Set onto a hearth this type of fire takes a more prominent position in a room with some models offering the option of side windows so that the flame pattern can be seen from



Freestanding

A freestanding stove is both portable and offers total flexibility to homeowners who want to heat a single room or boost the primary heat source when the temperature drops outside

Before you begin

Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. But if you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



Brick Chimney - Class 1 Flues

Apart from products designed for "no chimney" applications, all Flavel products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue - Class 2 Flues

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Flavel fires featuring this icon are only suitable for Pre-Cast flues conforming to BS EN 1858.

Controls



Manual Control A simple and discreet control system located behind the fire's trim or fret on inset fires and the bottom right





Convenient control that eliminates the necessity of bending down.



Top Control

A push down and twist ignition and control located on the top of outset fires means you don't have to bend down to light the fire.



Remote Control

The remote control handset is used to light the fire as well as adjust the flame height and heat output.



are used to ignite the fire and adjust heat and flame height.

Electronic Flame Control Discreet easy access buttons

Semi Remote Control

Light the fire using the manual

control system then use the

remote control handset to

adjust the flame height and

heat output.



Remote Control with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the extra benefit of a thermostatic control to regulate room temperature and a programmable timer that can be pre-programmed to ensure your room will be warm whenever you wish.





Electronic Top or Side Control System

Both ignition and heat are controlled by a single rotary motion to light the fire. These easy to use controls are now available on our best selling radiant outsets. Requires an AA battery.

Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described on the left, then you will require a Balanced Flue.



Balanced Flue

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

Gas Supply

Your gas supply will either be natural gas or LPG, depending on the area in which you live.



Natural Gas

If you have a gas meter then you will have natural gas.



LPG is the most popular alternative to natural das.

Fuel Beds











Drift.wood

Decorative Flame

Fire Back Panels





Ribbed Cream Ribbed Black

highefficiency Conventional Flue - Wall Outset - Glass Fronted



Castelle Slimline

The Castelle Slimline has been specifically designed to fit a standard precast flue without compromising style and performance. It features a striking curved black glass fascia, framing a beautifully realistic log fuel effect and a fully automatic remote control system.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency		67.9%
Energy efficiency class		F
Fuel type		Natural gas
Direct heat output		3.1kW
Control type	Colour	Model Number
Remote	Black	FPCLOORN


Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

A 600mm B 755mm C 538mm D 75mm 325mm 147mm







highefficiency Conventional Flue - Wall Outset - Glass Fronted



Curve

The Curve "hang-on-the-wall" fire with its sleek lines, textured fascia and glass front, complements the unique flame pattern created by an undulating back panel. This stunning fire is easy to install as it literally hangs on the wall, rather than slotting into the structure. The Curve is perfectly suited to contemporary homes requiring state-of-the-art appearance and the performance to match.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.0kW
Control type Colour	Madel Number


FCRROORN

Black Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

A 635mm B 870mm C 445mm D 166mm





highefficiency Conventional Flue - Wall Outset - Glass Fronted



9

Kamina

The sleek black glass fascia on this "hang-on-the-wall" gas fire is perfectly complemented by the unique flame pattern created by an undulating back panel. Installation is virtually hassle free as this highly contemporary fire literally hangs on the wall, thereby minimising any costly or messy building work. With a maximum heat output of 4kW the Kamina is perfectly suited to contemporary homes requiring state-of-the-art appearance and performance.


Specifications


Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency		68.3%
Energy efficiency class		F
Fuel type		Natural gas
Direct heat output		4.0kW
Control type	Colour	Model Number
Remote	Black Glass	FCRR10RN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

Dimensions









highefficiency Conventional & Balanced Flue - Wall Inset - Glass Fronted



Rocco HE

This stunning glass fronted hole-in-the-wall fire features a realistic log fuel effect and comes in a choice of chrome or black trim options.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

	Conventional	Balanced
Useful energy efficiency	85.1%	80.8%
Energy efficiency class	С	E
Fuel type	Natural gas	Natural gas
Direct heat output	4.1kW	5.5kW
0	Maria I Normalia	

FPHL21RN FBFL01RN3 FPHL22RN FBFL02RN3 Black Safety: Flame Supervision Device & Airwatch System

Chrome

(not applicable to balanced flue models)

Air vent required: Not normally















Dimensions









Rocco HE with black trim

highefficiency Conventional & Balanced Flue - Wall Inset - Glass Fronted



Jazz HE

This stunning glass fronted hole-in-the-wall fire has petite dimensions and a highly realistic log fuel effect. Both the Jazz HE and balanced flue models feature a black back and high quality trims in two finishes -chrome and black.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

		Conventional	Dalaliceu
Useful energy efficiency		81.4%	83.9%
Energy efficiency class		D	D
Fuel type		Natural gas	Natural gas
Direct heat output		3.2kW	4.2kW
Control type	Colour	Model Number	

FHCL21RN FJBL21RN FHCL22RN FJBL22RN Safety: Flame Supervision Device & Airwatch System

(not applicable to balanced flue models)

Air vent required: Not normally

Fuel Bed Back Panel




D 315mm E 631mm

Jazz BF

A 549mm B 810mm C 460mm D 295mm E 631mm





Jazz HE with chrome trim



highefficiency Conventional Flue - Wall Inset - Glass Fronted



Expression HE

The Flavel Expression HE hole in the wall high efficiency gas fire is a contemporary and economical heating solution with an energy efficiency of 84.3%. This fully glass fronted model features a stunning chrome fascia design and is operated by a fully automatic remote control system.

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	84.3%
Energy efficiency class	С
Fuel type	Natural gas
Direct heat output	3.4kW
Control type	Model Number

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally











Dimensions

B 500mm C 550mm D 180mm E 327mm F 365mm





highefficiency Conventional Flue - Wall Inset - Glass Fronted



Diamond HE

As Flavel's debut high efficiency hole-in-the-wall fire, the Diamond HE is a contemporary and economical heating solution with an energy efficiency of 84.3%. This glass fronted fire features the stunning chrome and black 'Diamond' fascia design and is available with a choice of coal or pebble fuel effect.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy e	fficiency	84.3%
Energy efficiency class		С
Fuel type		Natural gas
Direct heat output		3.4kW
Fuel effect Control type		Model Number
Coal	Remote	FHDC00RN3
Pebble	nemote	FHDPOORN3

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





Dimensions

E 365mm F 65mm







Diamond HE with pebble fuel effect



highefficiency Conventional Flue - Wall Inset - Glass Fronted



Windsor Contemporary HE

The Windsor Contemporary glass fronted high efficiency wall inset gas fire comes with the option of a coal or pebble fuel bed and features a large viewing window and chrome fascia. This extremely versatile fire will fit into almost any chimney or flue.

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency		81.3%
Energy efficiency class		D
Fuel type		Natural gas
Direct heat output		2.9kW
Fuel effect Control type		Model Number
Coal	Manual	FSHCHWMN
Pebble	Iviariual	FSHPHWMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

Dimensions

- B 512mm C 550mm D 125mm E 327mm









Windsor Contemporary HE

highefficiency

Conventional Flue - Wall Inset - Open Fronted



Windsor Contemporary Plus

The Windsor Contemporary wall inset gas fire is also available as an open fronted model featuring a large viewing window and chrome fascia. There is a choice of a coal or pebble fuel bed and this very versatile fire will fit into almost any chimney or flue.

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy effici	ency	66.8%
Energy efficiency class		F
Fuel type		Natural gas
Direct heat output		4.0kW
Fuel effect Control type		Model Number
Coal	Manual	FSPCHWMN
Pebble	Manual	FSPPHWMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





- Dimensions
- B 512mm C 550mm D 125mm E 327mm







Windsor Contemporary Plus with pebble fuel effect

Sophia Suite

The Flavel Sophia gas fire suite features a large, high efficiency, log effect gas fire framed by a beautifully designed Royal Botticino stone surround. The large non reflective glass front delivers an uninterrupted view of the fuel bed.

This gas fire suite is available in a conventional flue or slimline balanced flue version and is operated by a multifunctional remote control handset. The remote control system includes a thermostatic operation which automatically adjusts the heat output up or down to maintain your desired pre-set temperature. There is also a wake/sleep timer function which lets you specify when the fire will automatically turn on and turn off.

For optimum efficiency the Sophia comes with a built in electronic fan that is used to circulate convected heat around the room.





Specifications


Description: Full depth fireplace suite Type of Heat: Radiant & Convected

	Conventional	Balanced
Useful energy efficiency	82%	87.2%
Energy efficiency class	D	С
Fuel type	Natural gas	Natural gas
Direct heat output	5.6kW	4.3kW
Control type	Model Number	
Remote	FDCLRBRN2+B-163230	FSBLBTRN+B-179830

Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue models)

Air vent required: Not normally

Dimensions





B 1450mm C 200mm D 1020mm

F 410mm G 746mm H 550mm

J 960mm K 1450mm











Caress HE

The Caress HE glass fronted gas fire features an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or chrome cast iron. It features a heat output of up to 4kW and an energy efficiency of up to 86.3%.

Each model is available in a range of control options and there is an LPG model for homes without a natural gas supply.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	86%	86.3%		
Energy efficiency class	С	С		
Fuel type	Natural gas	LPG		
Direct heat output	3.9kW	4.0kW		

		Contemporary	Traditional	Contemporary	Traditional
Control type	Colour	Model Number			
Manual	Brass		FHEC11MN		
	Chrome	FHEC3RMN			
Slide	Brass	FHEC45SN	FHEC41SN		FHEC11SP
	Chrome	FHEC6RSN	FHEC6JSN	FHEC3RSP	
Remote	Brass		FHEC11RN2		
	Chrome	FHEC3RRN2			

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally












Dimensions

B 510mm C 550mm D 230mm







Caress HE Contemporary

highefficiency Conventional Flue - Hearth Inset - Glass Fronted



Decadence HE & Decadence Slimline HE

The Decadence HE high efficiency glass fronted gas fire with an energy efficiency of 84.3%. It is available in a choice three beautiful high quality cast iron fascias - gold, chrome or black nickel plated finishes. The Decadence HE Slimline model is also highly efficient and both models will fit almost any chimney or flue, including pre-cast (BS EN 1858). Both models are available in a choice of control model and feature a coal effect fuel bed.

Specifications

Black Nickel

Description: Full depth inset gas fire/slimline inset gas fire Type of Heat: Radiant & Convected

	HE Manual	HE Remote	Slimline HE Manual
Useful energy efficiency	84.3%	84.3%	81.3%
Energy efficiency class	D	С	D
Fuel type	Natural gas	Natural gas	Natural gas
Direct heat output	3.4kW	3.4kW	2.9kW
Colour	Model Number		
Brass	FHKCDBMN2	FHKCDBRN3	FSHCDBMN
Chrome	EHKCDCWN3	EHKCDCB/13	ESHCDCMNI


FHKCDNMN2 FHKCDNRN3 FSHCDNMN


Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally











Slimline HE A 631mm B 529mm C 550mm D 125mm











Decadence Slimline HE Decadence Slimline HE

in black nickel





Kenilworth HE

The Kenilworth gas fire features a welcoming full depth coal fuel effect and will fit most chimney and flue types including a pre-cast flue with a 3" rebate on the fire surround.

Specifications


	Manual	Remote
Useful energy efficiency	84.3%	84.3%
Energy efficiency class	D	С
Fuel type	Natural gas	Natural gas
Direct heat output	3.4kW	3.4kW
Colour	Model Number	
Brass	FHKC14MN2	FHKC14RN3
Black	FHKC26MN2	FHKC26MN2
Chrome	FHKC37MN2	FHKC37RN3

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

A 595mm B 500mm C 550mm D 180mm E 365mm







Kenilworth HE



Kenilworth HE

highefficiency Conventional Flue - Hearth Inset - Glass Fronted



Linear HE

The Linear is a stunning modern design with the combination of black ribbed back panels and chrome fascia. This full depth gas fire delivers a wonderful flickering glow and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency			84.3%
Energy efficien	cy class		D
Fuel type			Natural gas
Direct heat o	Direct heat output		3.4kW
Fuel effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FHLCXOMN2
Pebble	Ividitudi Chrome		FHLPXOMN2

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions



TOTAL CONTROL PROPERTY.





Linear HE with pebble fuel effect





Windsor Contemporary HE

Stunning styling makes the Windsor Contemporary glass fronted high efficiency gas fire the centrepiece of your room. This slimline model will fit almost any chimney or flue, including pre-cast (BS EN 1858), and comes in a chrome fascia.


Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency			81.3%
Energy efficiency class			D
Fuel type			Natural gas
Direct heat output			2.9kW
1 1			
E 1 00 1			
Fuel effect	Control type	Colour	Model Number
	Control type	Colour Chrome	Model Number FSHCUOMN
Fuel effect Coal	Control type Manual		
	,	Chrome	FSHCUOMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions





Windsor Contemporary HE in brass with coal fuel effect

highefficiency Conventional Flue - Hearth Inset - Glass Fronted



Windsor Traditional HE

The Windsor Traditional HE glass fronted gas fire offers exceptional heat output of 2.9kW with an energy efficiency of 81.3% and is available in manual or slide control.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected


Useful energy efficiency		81.3%
Energy efficiency class		D
Fuel type		Natural gas
Direct heat output	;	2.9kW
	1	
Control type	Colour	Model Number
Manual	Brass	FSHC11MN
Ivianuai	Chrome	FSHC3JMN
OF 1	Brass	FSHC11SN2
Slide	Chrome	ESHC3 ISNO

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

A 592mm B 475mm C 550mm D 125mm E 327mm





Windsor Traditional HE





Richmond Plus & Richmond


You can now achieve the look of a real open coal fire, combined with the convenience of gas fuel. The Richmond full depth convector fire combines a brilliant flame effect with high efficiency and outstanding warmth. The Richmond features a Standard trim and Dallas fret and is available in black, chrome or brass finishes.

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Richmond Plus	
Useful energy efficiency	66.7%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.1kW

	Model Number		
Colour	Manual	Slide	Remote
Brass	FOPC12MN	FOPC12SN	FOPC12RN2
Black	FOPC23MN	FOPC23SN	FOPC23RN2
Chrome	FOPC37MN	FOPC37SN	FOPC37RN2

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



	Model Number	
Colour	Manual	Slide
Brass	FICC12MN	FICC42SN
Black	FICC23MN	FICC53SN
Chrome	FICC37MN	FICC37SN

Richmond Plus

Dimensions

Richmond Plus

A 600mm B 498mm

C 548mm

D 223mm

E 400mm

Richmond

A 595mm

B 500mm

C 550mm

D 250mm E 400mm

Richmond

highefficiency Conventional Flue - Hearth Inset - Open Fronted

Useful energy efficiency

Energy efficiency class

Direct heat output

Fuel type

Control

60%

Natural gas

FICC11MN

FICC41SN

3.7kW Contemporary Traditional

FICC3RMN FICC45SN

FICC6RSN FICC6JSN



Caress Plus & Caress

The Caress Plus and Caress feature an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or chrome cast iron. The Caress Plus open-fronted model has been designed to provide an energy efficiency of 68.3% and a heat output at 4.2kW. Each model is available in a range of control options.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Caress Plus	
Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW
Contem	norary Traditional

		Contemporary	Traditional
Control	Colour	Model Number	
N41	Brass		FKPC11MN
Manual	Chrome	FKPC3RMN	
Slide	Brass	FKPC45SN	FKPC41SN
Slide	Chrome	FKPC6RSN	FKPC6JSN
Remote	Brass		FKPC11RN2
Herriote	Chrome	EKPC3BBN2	


Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

C 550mm

E 400mm











Caress Plus Traditional



highefficiency

Conventional Flue - Hearth Inset - Open Fronted



Calypso Plus & Calypso

The Calypso successfully combines exceptional fire design with today's necessity for convenience in the form of a user friendly dual directional slide control. This fire will be equally at home in a contemporary or traditional fire surround and room setting.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Calypso Plus

21			
Useful energ	gy efficiency	68.3%	67%
Energy efficiency class		F	F
Fuel type		Natural gas	LPG
Direct heat output		4.2kW	4.2kW
Control Colour		Model Numbe	er

FKPC42SN FKPC42SP Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

| Calypso

Useful energy efficiency	60%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	3.7kW
	Model

Number FNCN42SN





Dimensions

Calypso Plus

A 605mm B 491mm C 548mm D 170mm

E 365mm


















highefficiency Conventional Flue - Hearth Inset - Open Fronted



Rhapsody Plus & Rhapsody

The classic Rhapsody Plus and Rhapsody open fronted fires have a very realistic full depth fuel effect and beautiful flame picture making them indisguisable from a real coal fire. With an elegant arched trim and striking fret they are a timeless classic.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

FKPCBLSN FKPCBLSP FKPCSLSN FKPCSLSP

Rhapsody Plus

Jsetul energ	y efficiency	68.3%	6/%
nergy efficien	icy class	F	F
uel type		Natural gas	LPG
Direct heat o	output	4.2kW	4.2kW
Control	Colour	Model Num	ber
	Brass	FKPCBRSN	FKPCBRSP
NC-J-	Antique Brass	FKPCBBSN	FKPCBBSP

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

Rhapsody

Useful ener	gy efficiency	60%
Energy efficie	ency class	F
Fuel type		Natural gas
Direct heat	output	3.7kW
Control	Colour	Model Number
	Brass	FDCN45SN
Slide	Antique Brass	FDCN46SN
	Black	FDCN57SN


Chrome


FDCN68SN
















Rhapsody Plus



Rhapsody Plus



27





Decadence Plus

The Decadence Plus is a striking open fronted full depth gas fire which features a choice of three beautiful high quality cast iron fascias available in a choice of gold, chrome or black nickel plated finishes.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected


Useful energy effic	iency	68.3%
Energy efficiency class	5	F
Fuel type		Natural gas
Direct heat output		4.2kW
Control type	Colour	Model Number
	Gold	FKPCDBMN
Manual	Chrome	FKPCDCMN
	Black Nickel	FKPCDNMN
	Gold	FKPCDBSN
Slide	Chrome	FKPCDCSN
	Black Nickel	FKPCDNSN
	Gold	FKPCDBRN2
Remote	Chrome	FKPCDCRN2
	Black Nickel	FKPCDNRN2

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

- A 631mm B 529mm C 550mm D 170mm E 365mm







Decadence Plus



Decadence Plus

highefficiency Conventional Flue - Hearth Inset - Open Fronted



Linear Plus

The Linear is a stunning modern design with the combination of black ribbed back panels and chrome fascia. This full depth gas fire delivers a wonderful flickering glow and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected


	Useful ener	gy efficiency		68.3%
Energy efficiency class			F	
	Fuel type			Natural gas
	Direct heat	output		4.2kW
	Fuel Effect	Control type	Colour	Model Number
	Coal	Manual	Chrome	FKPCUOMN
	Pebble	Iviariuai	Chrome	FKPPUOMN


Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





Dimensions







Linear Plus with coal fuel effect





Kenilworth Plus

The Kenilworth gas fire features a welcoming full depth coal fuel effect and will fit most chimney and flue types including a pre-cast flue with a 3"rebate on the fire surround.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficie	ency	68.3%
Energy efficiency class		F
Fuel type		Natural gas
Direct heat output		4.2kW
Control type	Colour	Model Number
	Brass	FKPC14MN
Manual	Chrome (Grace)	FKPC37MN
	Black	FKPC26MN
	Brass	FKPC14SN
Slide	Chrome (Grace)	FKPC37SN
	Black	FKPC26SN
	Brass	FKPC14RN2
Remote	Chrome (Grace)	FKPC37RN2
	Black	FKPC26BN2

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

A 595mm B 500mm

C 548mm D 170mm

E 365mm













Kenilworth Plus in black with Blenheim fret



Kenilworth Plus in chrome with Grace fret

highefficiency Conventional Flue - Hearth Inset - Open Fronted



Expression Plus

The Flavel Expression Plus high efficiency gas fire boasts an impressive 68.3% Energy efficiency and can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a coal fuel effect and comes with a contemporary chrome one-piece fascia. The Expression Plus is available with manual or fully automatic remote control.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected


Useful energy effic	eiency	68.3%
Energy efficiency class		F
Fuel type		Natural gas
Direct heat output		4.2kW
Control tuno	Colour	Madal Number
Control type	Colour	Model Number
Control type Manual	Colour Chrome	Model Number FKPCEPMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





Dimensions









Windsor Contemporary Plus


Stunning styling makes the Windsor Contemporary Plus the centrepiece of your room. This slimline gas fire will fit almost any chimney or flue, including pre-cast (BS EN 1858) and achieves an impressive 66.8% energy efficiency with a 4.0kW heat output.

Useful energy efficiency			66.8%
Energy efficiency class			F
Fuel type			Natural gas
Direct heat output			4.0kW
Fuel Effect	Control type	Colour	Model Number
Fuel Effect Coal	Control type	Colour Chrome	Model Number FSPCUOMN
Coal	Control type Manual		
	,	Chrome	FSPCUOMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions





Windsor Contemporary Plus in chrome with coal fuel effect

highefficiency Conventional Flue - Hearth Inset - Open Fronted



Windsor Traditional Plus

The Windsor Traditional Plus is an open fronted high efficiency gas fire combining an exceptional heat output of 4.0kW and an energy efficiency of 66.8%. This fire is perfect for homes where a more traditional styling is needed to complement the décor.

Specifications


Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency		66.8%
Energy efficiency class		F
Fuel type		Natural gas
Direct heat output		4.0kW
Control type	Colour	Model Number
Manual	Brass	FSPC11MN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally







Stirling Plus

The Stirling Plus open fronted high efficiency slimline gas fire will fit into all flue types and, with a very impressive heat output of 4.0kW, is sure to be a popular choice. The Stirling Plus is operated by a choice of manual or slide control and is available in either a black or brass finish.



Stirling Plus with brass trim and Dallas antique brass fret














Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Type of Float. Hadain & Bonesea			
Useful energy efficiency		66.8%	
Energy efficiency class		F	
Fuel type		Natural gas	
Direct heat output		4.0kW	
Control type	Colour	Model Number	
	Brass	FSPC12MN	
Manual	Black	FSPC23MN	
Slide	Brass	FSPC12SN	
Silde	Black	FSPC23SN	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally







highefficiency Conventional & Balanced Flue - Hearth Outset - Glass Fronted



Emberglow

The Emberglow high efficiency outset gas fire features an elegant design with high quality cast iron canopy and fire front. With front and side windows the mesmerising dancing flames can be seen from all angles and it is operated by an easy to use electronic side control system. The main image represents the natural gas model. The flame picture may

differ on LPG model.

Specifications

	ES	Remote	ES	Manual
	Convention	al		Balanced
Useful energy efficiency	78.7%	81.6%	82.2%	86.9%
Energy efficiency class	Е	D	D	С
Fuel type	Natural gas		LPG	Natural gas
Direct heat output	4.2kW	4.4kW	4.2kW	4.3kW

Model Number

FEMCOOEN FEMCOORN2 FEMCOOEP FEBCOOMN

Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue model) Air vent required: Not normally



Emberglow Balanced Flue

highefficiency Conventional Flue - Hearth Outset - Glass Fronted

FRECRORN2



Renoir

The Renoir outset living flame effect gas fire features a beautiful flickering flame effect and is operated by an electronic side control system to make it much easier to ignite the fire. This classically designed fire has an impressive heat output of up to 4.4kW and energy efficiency of up to 81.6%.

Specifications

		ES	Remote
Useful energy efficiency		78.7%	81.6%
Energy efficiency class	3	E	D
Fuel type		Natural gas	Natural gas
Direct heat output		4.2kW	4.4kW
	Colour	Model Number	
	Black	FRECNOEN	FRECNORN2

FRECROEN


Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Fuel Bed Back Panel

Dimensions

Emberglow A 703mm B 684mm C 324mm









Regent

One of the most popular radiant fires in the UK, the Regent features a slim design and has an energy efficiency of 74%. The Regent is available in a choice of black or bronze finishes and is operated by electronic side control.

Specifications


Description: Full depth outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency		74%
Energy efficiency class		E
Fuel type		Natural gas
Direct heat output		4.5kW
Control type	Colour	Model Number
Electronic Side	Black	FRGCNOEN
Electronic Side Bronze		ERGCPOEN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions





Regent in bronze

highefficiency Conventional Flue - Hearth Outset - Open Fronted



Welcome

The Welcome's beautiful electrically illuminated coal effect brings life to the room even when the heat is off, providing a charming focal point to any room. It also has a 74% energy efficiency, resulting in lower running costs.

Specifications

Description: Full dept	h outset gas fire	Тур	oe of Heat: Radiant & Convected
Useful energy efficiency		74%	
Energy efficiency class	6		E
Fuel type		Natural gas	
Direct heat output			4.5kW
Control type	Colour		Model Number
Flectronic Side	Black		FWERNOEN
Bronze			FWERROEN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally









Welcome in black





Strata

The Strata offers an incredible energy efficiency of 82% and $5.2kW\ heat$ output. It has a stylish contemporary look with soft, curved lines and is available in a choice of three colour options. Can be wall mounted.

Specifications


Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency		82%
Energy efficiency class		D
Fuel type		Natural gas
Direct heat output		5.2kW
	1	1
Control type	Colour	Model Number
Control type	Colour Black	Model Number FORSBLEN
Control type Electronic Top		

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions





highefficiency Conventional Flue - Hearth Outset - Open Fronted



Misermatic

Incredible 82% energy efficiency and adaptability; the Misermatic has them both. Available in a range of wood finishes, this fire can be wall or hearth mounted with an easily accessible top mounted control. Can be wall mounted.

Specifications

Useful energy efficiency		82%
Energy efficiency class		D
Fuel type		Natural gas
Direct heat output		5.2kW
Control type	Colour	Model Number

Control type	Colour	Model Number
	Mahogany	FORMMOEN
	Teak	FORMTOEN
Electronic Top	Light Oak	FORMLOEN
	Medium Oak	FORMNOEN
	Black	FORMBOEN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

A 515mm B 800mm


C 200mm D 100mm E 60mm





Misermatic in teak

Misermatic in medium oak Misermatic in mahogany Misermatic in black



Dimensions

A 652mm B 730mm

C 200mm D 37mm E 60mm

Renaissance in black



Renaissance

The Renaissance provides a natural talking point the moment you enter the room. Its stylish retro design is matched by its forward thinking simplicity of installation, impressive 5.2kW heat output and astounding 82% energy efficiency. Can be wall mounted.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency		82%
Energy efficiency class		D
Fuel type		Natural gas
Direct heat output		5.2kW
Control type Colour		Model Number
Floring Ton	Silver	FORRSOEN
Electronic Top	Black	FORRBOEN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

The compact and economical Firenza can be wall or hearth mounted and has an energy efficiency of 80.1%. The control handle is located on the top panel for ease of use.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency		80.1%
Energy efficiency class		D
Fuel type		Natural gas
Direct heat outp	ut	3.8kW
Control type	Colour	Model Number
	Black	FEID71MNI

Safety: Flame Supervision Device & Airwatch System

highefficiency Conventional Flue - Hearth Outset - Open Fronted





Dimensions

A 658mm B 506mm C 222mm



Firenza in black

Firenza

	Energy efficiency class		D	
Fuel type			Natural gas	
	Direct heat output		3.8kW	
Control type Colour				
	Control type	Colour	Model Number	
		Colour Black	Model Number FFIRZ1MN	
	Top			

Air vent required: Not normally



highefficiency

Balanced Flue - Hearth Inset - Glass Fronted



Calibre BF

The Calibre Balanced Flue gas fire boasts an energy efficiency of 93.5%and features a full depth coal fuel effect. This glass fronted fire has an exceptionally large viewing area and is available in a choice of brass or chrome. The main image represents the Calibre natural gas model. The flame picture may differ on LPG model.


Specifications

Useful energy efficiency			93.5%	93.5%
Energy efficiency class		В	В	
Fuel type		Natural gas	LPG	
Direct heat output		3.9kW	4.0kW	
Fuel effect Control type Colour		Model Number		
		Brass	FBFC1SMN2	FBFC1SMP2
	Manual			

Fuel effect	Control type	Colour	Model Number	
	Manual	Brass	FBFC1SMN2	FBFC1SMP2
		Chrome	FBFC37MN2	FBFC37MP2
Coal	EFC	Brass	FBFC1SEN3	
Coal		Chrome	FBFC37EN3	
	B	Brass	FBFC1SRN3	
	Remote	Chrome	FBFC37RN3	

Safety: Flame Supervision Device Air vent required: Not normally

Dimensions



 $\hbox{*Differs on EFC models. An optional flue extension is available to increase maximum length to}\\$ 1015mm or manual and 973mm on EFC models.



highefficiency Balanced Flue - Hearth Inset - Glass Fronted

Ecodesign Compliant

Raglan BF

With an energy efficiency of 80% the stylish Raglan Balanced Flue is designed to fit into houses without a chimney or flue and its glass front does more than simply look great, it increases efficiency too.

Specifications

Description: Slimline inset gas fire	Type of Heat: Radiant & Convected

Useful energy efficiency		80%
Energy efficiency class	S	E
Fuel type		Natural gas
Direct heat output		2.7kW
Control type	Colour	Model Number
Manual	Satin Silver	FBFC3JMN
IVIdriudi	Brass	FBFC12MN

Safety: Flame Supervision Device Air vent required: Not normally








Dimensions



- C 580mm D 125mm 95mm
- 435mm G 675mm max - 130mm min
- H 400mm I 145mm





Raglan BF in brass



highefficiency Balanced Flue - Hearth Inset - Glass Fronted



Orchestra BF

If you want the warmth and mood created by a living flame fire yet don't have a chimney or flue, then the Orchestra is the perfect solution. This neat, glass fronted inset fire with an energy efficiency of 80% is framed by a chamfered trim and sleek fret.

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy effic	iency	80%
Energy efficiency class	5	E
Fuel type		Natural gas
Direct heat output		2.7kW
Control type Colour		Model Number
Manual	Satin Silver	FBFN98G
Ividi ludi	Brass	FBFN76G

Safety: Flame Supervision Device Air vent required: Not normally

A 620mm














Dimensions

- B 470mm C 580mm D 125mm 95mm 435mm
- G 675mm max 130mm min H 400mm I 145mm









Orchestra BF in brass

highefficiency Balanced Flue - Hearth Inset - Glass Fronted



Atlanta BF

Simplicity of form. Complexity of flame. The Atlanta's clean lines compliment its clean burning efficiency. The glass front amplifies a unique flame pattern through an undulating back panel. Offset against a satin silver trim it conjures up an ethereal yet comforting minimalism.

Useful energy efficiency	66.4%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	2.4kW
Control type	Model Number
Manual	FBFR70MN

Safety: Flame Supervision Device Air vent required: Not normally




Dimensions



- E 245mm F 215mm G 435mm H 675mm max - 130mm min







standardfires Conventional Flue - Wall Inset - Open Fronted

Finesse

The most versatile hole-in-the-wall gas fire from Flavel. The Finesse will fit virtually any flue and is available in three different variations – a brass trim option with coal fuel effect to suit a classical setting and a chrome trim option with a choice of coal or pebble fuel effect.

Description: Slimline inset gas fire Type of Heat: Radiant

Fuel type	Fuel type		Natural gas
Direct heat output			2.7kW
	ı		
Fuel effect	Control type	Colour	Model Number
Coal		Chrome	FSRCYYMN
GUai	Manual	Brass	FSRCXXMN
Pebble		Chrome	FSRPYYMN

Safety: Flame Supervision Device & Airwatch System


Air vent required: Not normally

This product is not suitable for primary heating purposes.



Dimensions

- B 558mm C 550mm D 120mm E 329mm F 50mm







Finesse with coal effect and chrome trim

Finesse with pebble effect

standardfires Conventional Flue - Wall Inset - Open Fronted

Windsor Contemporary

The Windsor Wall inset open fronted gas fire is available in a choice of coal or pebble fuel bed and features a large viewing window. This extremely versatile fire will fit into almost any chimney or flue and comes in a chrome finish.

Description: Slimline inset gas fire Type of Heat: Radiant

Fuel type	Fuel type		Natural gas
Direct heat	Direct heat output		2.7kW
	ect Control type Colour		
Fuel effect			Model Number
Coal	Manual Chi	Chrome	FSRCHWMN
Pebble	- Ividitudi Chrome		FSRPHWMN
			•

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

This product is not suitable for primary heating purposes.














Dimensions

- C 550mm D 120mm E 329mm







Windsor Contemporary



standardfires Conventional - Hearth Inset - Open Fronted

Waverley

The Waverley, with its beautiful decorative flame effect, is a perfect replacement for a solid fuel grate. The 16" tapered inset tray is designed to fit a standard 16" fire back, providing a realistic coal effect for almost any style of fireplace.

Specifications

Description: Full depth inset tray Type of Heat: Radiant

Fuel type	Natural gas
Direct heat output	2.7kW
Control type	Model Number
Manual	FITCOOMN

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

This product is not suitable for primary heating purposes



















Dimensions

A 350mm B 205mm C 230mm



standardfires Conventional - Hearth Inset - Open Fronted

Linear

The Linear is a stunning modern design with the combination of black ribbed back panels and chrome fascia. This full depth gas fire delivers a wonderful flickering glow and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant

Fuel type			Natural gas
Direct heat	Direct heat output		2.7kW
Fuel Effect Control type Colour		Colour	Model Number
Coal	Manual	Chrome	FRDCUOMN
Pebble	Ivianual Chrome		FRDPUOMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

This product is not suitable for primary heating purposes.











Dimensions

A 595mm B 483mm C 550mm D 170mm E 365mm









Linear with coal fuel effect

Windsor Contemporary, Classic & Traditional

The versatile styling of the Windsor gas fires ensures that there is a style to suit any room. This slimline gas fire will fit almost any chimney or flue, including pre-cast (BS EN 1858).



Windsor Contemporary with chrome fascia and pebble fuel effect



Windsor Contemporary with satin silver fascia and driftwood fuel effect



Windsor Classic with chrome trim and fret and coal fuel effect



with chrome trim and fret and coal fuel effect



















Specifications

Description: Slimline inset gas fire Type of Heat: Radiant

Fuel Type			Natural gas	
Direct heat output			2.7kW	
Windsor Con	temporary			
Fuel effect	Control type	Colour	Model Number	
		Chrome	FSRCUOMN	
Coal		Satin Silver	FSRC80MN	
	Manual	Brass	FSRCU1MN	
Pebble		Chrome	FSRPUOMN	
Peddie		Satin Silver	FSRP80MN	
Driftwood		Satin Silver	FSRDUOMN	
Windsor Classic				
Fuel effect	Control type	Colour	Model Number	
Coal	Manual	Brass	FSRC1SMN	
Coal	iviariual	Chrome	FSRC3WMN	
Windsor Traditional				

FSRC1PMN

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

This product is not suitable for primary heating purposes

Dimensions

Windsor	Windsor	_	3——	-D- <u> </u>	
Contemporary	Traditional & Classic	11	———— I		
A 592mm				† J	
B 475mm	A 592mm		- 11	/	
C 550mm	B 475mm	!!!			
D 120mm	C 550mm	Ŷ		우[
E 329mm	D 120mm				1 - 1
L OLDIIIII	E 329mm				
					/





standardfires Conventional Flue - Hearth Inset - Open Fronted



Melody

The Melody is an elegant slimline fire enabling installation in almost any flue including pre-cast. The discreet slide control ensures convenient operation with a heat output of 3.1kW.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant


Useful energy efficiency		53.1%	
Energy efficiency class	6	F	
Fuel type		Natural gas	
Direct heat output		3.1kW	
Control type	Colour	Model Number	
	Chrome	FDRN68G	
Slide	Brass	FDRN45G	
Silde	Antique Brass	FDRN46G	
	Black	FDRN57G	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

A 605mm B 491mm C 550mm D 105mm E 325mm







Melody in antique brass Melody in black





standardfires Conventional Flue - Hearth Inset - Open Fronted



Caress Slimline

The Caress Slimline gas fire features a fabulous, top quality cast trim and Blenheim fret in a choice of solid cast brass or chrome cast iron. Coal effect and flame picture differs on slide control models.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant Manual Control

Fuel type		Natural gas
Direct heat output		2.7kW
Control type	Colour	Model Number
Manual	Brass	FSRCBCMN
Mariual	Chrome	FSRCCCMN

This product is not suitable for primary heating purposes

Slide Control

Useful energy efficiency		53.1%	
Energy efficiency class		F	
Fuel type		Natural gas	
Direct heat output		3.1kW	
Control type	Colour	Model Number	
Slide	Brass	FNVCBCSN	
Silde	Chrome	FNVCCCSN	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

Caress Slimline	Caress Slimlin
Manual Control	Slide Control
A 615mm	A 615mm
B 510mm	B 510mm
C 550mm	C 550mm

C 550mm D 105mm D 120mm E 329mm







*Caress Slimline Slide Control in chrome cast iron





standardfires Conventional - Hearth Outset - Open Fronted



Regent LFE

One of the most popular radiant fires in the UK, The Regent LFE is slim for a neat fit into an existing fireplace and is highly efficient. It provides radiant and convected heat and is an elegant interpretation of the Regency period.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant


Useful energy efficiency		59.3%	
Energy efficiency class		F	
Fuel type		Natural gas	
Direct heat output		3.3kW	
Control type	Colour	Model Number	
Electronic Side	Black	FRLCNOEN	
Electronic Side	Bronze	FRLCPOEN	
Remote	Black	FRLCNORN2	
nemuc	Bronze	FRLCPORN2	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

A 680mm B 710mm C 255mm





standardfires Freestanding Stove - Glass Fronted

Thurcroft Stove

The Thurcroft is a portable stove and the ideal mobile gas appliance with a living flame effect that provides the warmth, appearance and atmosphere of a traditional stove. A self contained 7kg Butane gas cylinder* housed within the body of the stove provides up to 60 hours burning time.

Specifications

Description: Freestanding Stove Type of Heat: Radiant & Convected

Fuel type	Butane gas
Direct heat output	2.7kW
Control type	Model Number
Manual	FFSC00MB

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

This product is not suitable for primary heating purposes







Dimensions

A 712mm B 370mm C 445mm D 200mm E 145mm





* Not included with the appliance. For details on how to obtain a Butane gas cylinder please call 0800 662 663 or visit

www.calorgas.co.uk

Builders' Opening sizes

	Minimum Opening Width	Maximum Opening Width	Minimum Opening Height	Maximum Opening Height
Product				
Atlanta BF	410mm	420mm	550mm	560mm
Calibre BF	415mm	420mm	563mm	570mm
Calypso	400mm	450mm	550mm	570mm
Calypso Plus	370mm	440mm	550mm	570mm
Caress	400mm	450mm	550mm	570mm
Caress HE	400mm	450mm	550mm	570mm
Caress Plus	370mm	440mm	550mm	570mm
Caress Slimline SC	330mm	430mm	550mm	565mm
Caress Slimline MC	330mm	440mm	550mm	575mm
Castelle	350mm	400mm	490mm	500mm
	300mm	440mm	300mm	440mm
Decadence HE	370mm	450mm	550mm	570mm
Decadence Plus	370mm	440mm	550mm	570mm
Decadence Slimline	330mm	440mm	550mm	575mm
Diamond HE	370mm	450mm	550mm	570mm
Emberglow	305mm	440mm	500mm	650mm
Expression HE	370mm	450mm	550mm	570mm
Expression Plus	370mm	440mm	550mm	570mm
Finesse	330mm	430mm	550mm	575mm
Firenza	305mm	440mm	510mm	650mm
Jazz HE	650mm	660mm	460mm	470mm
Jazz BF	635mm	645mm	465mm	475mm
Kamina	300mm	440mm	300mm	440mm
Kenilworth HE	370mm	450mm	550mm	570mm
Kenilworth Plus	370mm	450mm	550mm	570mm
Linear HE	370mm	450mm	550mm	570mm
_inear	375mm	440mm	550mm	570mm
Linear Plus	370mm	440mm	550mm	570mm
Melody	330mm	430mm	550mm	565mm
Misermatic	305mm	440mm	580mm	650mm
Orchestra BF	410mm	420mm	555mm	565mm
Raglan BF	410mm	420mm	555mm	565mm
Regent	305mm	440mm	470mm	650mm
Regent LFE	305mm	440mm	525mm	650mm
Renaissance	305mm	440mm	580mm	650mm
Renoir	305mm	440mm	500mm	650mm
Rhapsody	400mm	450mm	550mm	570mm
Richmond	400mm	450mm	550mm	570mm
Richmond Plus	400mm	450mm	550mm	570mm
Rocco HE	750mm	760mm	520mm	530mm
Rocco BF	730mm	780mm	540mm	550mm
Sophia	760mm	790mm	870mm	880mm
Sophia Slimline BF	750mm	840mm	1025mm	1050mm
Stirling Plus	330mm	440mm	550mm	575mm
Strata	305mm	440mm	580mm	650mm
Waverley*	400mm	440mm	550mm	575mm
Naverley**	560mm	600mm	690mm	720mm
Welcome	305mm	440mm	470mm	650mm
Vindsor	330mm	440mm	550mm	575mm
Windsor HE	330mm	440mm	550mm	575mm
Windsor Plus	330mm	440mm	550mm	575mm

^{*}when fitted into standard builders opening with existing chair-brick

Online inspiration & information

Tap into a wealth of knowledge and discover everything you need to know about purchasing, fitting and servicing your Flavel fire.

- Use our intelligent search tools to find your perfect
- Watch videos of our stunning fires
- Download Installation and User manuals
- Find your nearest Flavel Approved Stockist
- Register your guarantee

www.flavelfires.co.uk



Calculating your Flavel gas fires running costs



Windsor Traditional HE brass Page 23

Despite rising fuel prices, natural gas remains the most common and one of the cheapest ways to heat your home. Since the cost of gas can differ depending on service provider, location and tariff we do not include estimated running costs for our products. However, you can estimate your own running costs easily using the following calculation:-



What is the running cost of the Windsor Traditional HE when used for 3 hours at a cost of 4.2p per kilowatt hour?





www.flavelfires.co.uk

Go direct to the Flavel website on your smart phone or tablet device, just scan in this QR code.

WARNING BFM Europe Limited is a Gas Safe Registered company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions, electric models by a competent person.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase.

Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information.

Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat.

In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present.

(This brochure is copyright 2019 and must not be reproduced in whole or in any part without prior written permission).

We would like to thank Kedleston Heating (01332 200303), Olde England Reproductions (01782 319350), Stanningley Firesides (0113 257 1512) and GB Mantles (01924 473243) for contributing fire surrounds to this brochure.













At the heart of your home

 $\label{eq:BFM-encoded} \begin{tabular}{l} BFM Europe Limited, Trentham Lakes, Stoke-on-Trent, Staffordshire ST4 4TJ. \\ Tel: 01782 339000. www.flavelfires.co.uk e-mail: info@bfm-europe.com \end{tabular}$